HARVESTING OPERATIONS

- No harvesting operations are permitted on Christmas Day, Boxing Day and New Years Day. A separate fire fighting fire appliance is required to be present in any paddock being harvested, chaining, raking stubble, straw baling and associated allied activities during restricted and prohibited periods. The fire fighting unit must be in a state of readiness and have a minimum capacity of 400L of water, a powered pump and hose. The farm fire fighting unit should be parked on bare ground in or near the harvesting or working area.
- 2. A Harvesting and Movement Ban and Use of Internal Combustion Engines (except for the watering and movement of stock) will be imposed when the actual weather conditions reach a Fire Danger rating of thirty five (35) on the maximum wind speed at the weather stations of two (2) bush fire brigades. All such bans are at the discretion of the Chief Bush Fire Control Officer or a duly appointed person.

If a ban has been imposed, all persons registered will be sent a text message advising of details. All bans will still be broadcast on radio:

ABC State wide AM 98.1 FM & 96.5 FM

NOTE: Attention of landowners is drawn to the fact that this order allows for provision of firebreaks in situations other than immediately with property boundaries subject to approval. The Chief Bush Fire Control Officer and appointed Fire Control Officers have been authorised to act for Council in this matter.

FAILURE TO INSTALL AND MAINTAIN FIREBREAKS IN ACCORDANCE WITH THIS NOTICE MAY RESULT IN A \$5.000 PENALTY

BUSH FIRES ACT 1954 AS AMENDED

Notice is hereby given to all land owners in areas requiring compulsory firebreaks that these must be installed by 15 October and maintained free of flammable material as required under the Bush Fire Act 1954 and in accordance with this Notice, approved fire management plans or approved variations to this Notice.

PROPERTIES WILL BE INSPECTED TO ENSURE COMPLIANCE WITH COUNCILS REQUIREMENTS

SMALL LOTS RESIDENTIAL & SPECIAL RURAL / RURAL RESIDENTIAL / RURAL SMALL HOLDINGS UP TO 3.0HA

Mowed, slashed to a maximum height of 7.5cm. Mineral earth (bare earth) firebreaks not permitted.

All structures and buildings must have a minimum 2m clearance of all flammable material. All dead trees, shrubs must be removed from block unless application is made to retain dead trees, shrubs prior to 15 October and approved. Exemptions will only be considered if presented in writing by 15 October.

RESIDENTIAL & SPECIAL RURAL / RURAL RESIDENTIAL / RURAL SMALL HOLDINGS 3.0HA PLUS

Fire breaks must be mineral earth (bare earth) a minimum 3m wide and have minimum overhead clearance 4m or have flammable material graded, mowed or slashed to a maximum height of 7.5cm over the entire property (excluding managed vegetation such as ornamental trees, distinct islands of vegetation remote from boundaries and assets).

All structures and buildings must have a minimum 3m clearance of all flammable material. All dead trees, shrubs must be removed from block unless application is made to retain dead trees, shrubs prior to 15 October and approved. Exemptions will only be considered if presented in writing by 15 October.

If it is considered for any reason to be impracticable to clear firebreaks as required by this notice, or if you consider natural features render firebreaks unnecessary, you may make your case in writing to the Shire.

FUEL PUMPS (FUEL DEPOTS)

On or before the 15 October all grass and similar material is to be cleared from such places where drum ramps are located and where drums, empty or full, are stored and such areas to be maintained cleared of grass and similar flammable material until 15 March.

FIRE MANAGEMENT PLANS

If your property has an approved fire management plan in place then you are to comply with the requirements of that plan in full.

FARM BUILDINGS AND UNATTENDED ELECTRIC MOTORS AND HAY STACKS

Fire breaks at least 2m in width completely surrounding and not more than 20m from the perimeter of any building, group of buildings or haystacks. All flammable material must be removed from an area 3m in width immediately surrounding the building. All flammable material must be removed from an area 3m in width immediately surrounding an unattended electric motor site.

UNATTENDED FUEL OPERATED MOTORS

All flammable material must be removed from an area 2m in width immediately surrounding an unattended fuel operated motor whether the motor is intended to be used or not.

RURAL LAND

Firebreaks must be provided not less than 2m in width inside and along the whole of the external boundaries of the properties owned or occupied; where this is not practicable the firebreaks must be provided as near as possible to, and within, such boundaries.

BARBEQUES AND INCINERATORS

Gas and electric barbeques are permitted any time. Solid fuel barbeques and incinerators are **PROHIBITED** on days of VERY HIGH FIRE DANGER or above.

PENALTY

The penalty for failing to comply with this notice is a fine of up to \$250 and a person in default is also liable, whether prosecuted or not, to pay the cost of performing the work in this notice. If it is not carried out by the owner or occupier by the date required by this notice.



BUSH FIRE CONTROL OFFICERS

Chief Bush Fire Control Officer & Fire Weather Officer

Andrew Vlahov Mob: 0427 205 144

UHF: 5

Yetna Brigade, Deputy Chief Bush Fire Control Officer & Deputy Fire Weather Officer

Local Bush Fire Control Office

Ph: 9920 5555

Mob: 0407 388 511

(in the absence of the Chief Bush Fire Control Officer/Fire Weather Officer, the Deputy becomes the Acting Chief Bush Fire Control Officer/Fire Weather Officer)

Naraling Brigade

Local Bush Fire Control Officer:

 Craig Mincherton
 Ph: 9920 3033

 UHF: 33
 Mob: 0417 957 075

Howatharra Brigade

Local Bush Fire Control Officer:

Calvin Royce Ph: 9925 1010
UHF: 29 Mob: 0427 251 016

Nabawa Brigade

Local Bush Fire Control Officer:

Neil Kupsch Ph: 9920 5050 UHF: 4 Mob: 0429 108 289

Yuna Brigade

Local Bush Fire Control Officer:

Shaun Earl Mob: 0429 108 425

UHF: 20

Durawah/Valentine Brigade

Local Bush Fire Control Office

Bruce Ley Mob: 0428 930 423

UHF: 51

Shire and Emergency Two-way Radio Channel

UHF: 11 Senior Ranger: 0428 948 073

Bush Fire Services FESA

Ph: 9956 0000



CONTRACTORS

Morgan Mowing	0439 242 993
Central Earthmoving	0459 301 851
Centre Point Earthmoving - Chris Newman	0427 976 833
Graham Hancock	0408 230 421
Midwest Mulching & Mowing	0429 341 306
SMS Group WA	9935 9230
Ivey Contracting (Grading Only)	0428 840 935

Tree Plantations

Construct a 30m wide mineral earth firebreak around the perimeter of the plantation, with a 4m high vertical clearance of all inflammable material. This being in addition to compliance with the DFES 'Guidelines for Plantation Fire Protection' requirements, the Shire of Chapman Valley 'Tree Farms' Local Planning Policy and specific individual plantation development approval conditions.

PENALTIES

Failure to maintain a firebreak as per firebreak order	\$250
Offence relating to lighting a fire in the open air	\$250
Setting fire to bush during prohibited burning period	\$250
Failure of Occupier to extinguish a bushfire	\$250
Refusal to state name and abode or stating a false name and abode	\$100
Failure to produce permit to burn	\$100

Fire Control Officers are not obliged to issue permits.

Permits cannot be issued over the phone and should a Fire Control Officer refuse to issue a permit, it's a breach of the Bush Fire Act 1954 to request a permit from another Fire Control Officer.

You MUST have a copy of the permit on you during the burn.



FIRST AND FINAL

Fire Break Notice 2025/26 Period

SECTION 33 BUSH FIRE ACT

PROHIBITED BURNING PERIOD YUNA (Zone 2)

15 October to 14 February

All OTHER AREAS (Zone 4)

15 October to 14 February

STRICTLY NO BURNING

RESTRICTED BURNING PERIOD YUNA

(Zone 2)

1 September to 14 October 15 February to 7 April ALL OTHER AREAS (Zone 4) 1 September to 14 October 15 February to 7 April PERMITS ARE REQUIRED

COMPULSORY FIREBREAKS (Zone 4)

Nabawa / Yetna / Howatharra Brigades 15 October to 7 April

FIRST AND FINAL NOTICE IS HEREBY SERVED TO ALL RESIDENTS AND RATEPAYERS

Failure to install and maintain firebreaks in accordance with this notice may result in a \$5,000 fine.